


SPARE PARTS EXPLODED VIEW STORAGE ELECTRIC WATER HEATERS Model

PRO EVO VTD/VTS EU

R8217879-01 - 30/05/2017

Col	Reference	Model type	Begin	End
3 4	3201225 3201226	PRO EVO 100 VTD/3 EU PRO EVO 100 VTS/3 EU	06-2017 06-2017	-
1 2	3201209 3201210	PRO EVO 80 VTD/3 EU PRO EVO 80 VTS/3 EU	06-2017 06-2017	-




							/			$\overline{}$
					2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18					
$\overline{}$					7	8/ 8/		\@\@\ ```	/	-
⊚ ⊐	Description	Manf. Pt. N	Туре	/					3	
	Description	Inchini di t	.,,,,	<u>(</u>	<u>∕ ⟨°</u> 2	<u>√ (~</u> 3	<u>√ ₹</u> 4	5 6 7 8 9 10 11 12 13 14 15 16 17 18	From	ر ₀ ك
	HEATING ELEMENT 1200W 220-240V	65111787		•	•					
	HEATING ELEMENT 1500W 220-240V FLANGE (5 HOLES)	65111790 65111789		•	•	•	•			
	THERMOSTAT	691214		•	•	•	•			
0014	PLASTIC COVER + SIGNAL LAMP CAP	65108842		•	•	•	•			
0019	SIGNAL LAMP	993025		•	•		•			
	SAFETY VALVE WITH LEVER (1/2" 8,5 BAR) ANODE D:25,5 L:230 M5-M8	571730 993014-01		•	•	•	•			
	SCREW M6X12	993000		•	•	•	•			
	LOCK NUT M6	994140		•	•	•	•			
	FLANGE GASKET	65111788		•	•	•	•			
	THERMOMETER SCREW M6X20	65108466 65151225-FA		•	•	•	•			
0058	BAFFLE (1/2" H=72)	65113698		•	•	•	•			
0068	SIGNAL LAMP CAP	65108468		•	•	•	•			

LIST OF THE ABBREVIATIONS

: Hot water. CW Cold water. C Ceramic resistance (normal heating). Ceramic resistance (accelerated heating) Ca TP Immersion heater. 1F With fittings. 2F Without fittings. With fittings and another outlet connection. 3F With mixing valve. AMI SMI .. Without mixing valve. PUISS Power of th appliance. PN Appliance with normal pression. LP Appliance with low pression. PV Appliance with variable power. : Appliance with fixed power.

IDENTIFICATION PLATE

SERIAL NUMBER



The indications mentionned on the prices, commercial or technical literature and the scheme are written for your guidance and are available at a given time. The CONSTRUCTOR retains the power to modify the presentation, the form, the size, $_{\vartheta}$ the conception or the material of the products.